



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*San Francisco City and County*. Estimated population, 360,000. Reports to the health department for the month of May, 1897, show a total of 465 deaths, including diphtheria, 9; enteric fever, 3, and phthisis pulmonalis, 88.

CONNECTICUT.—Reports to the State board of health for the month of May, 1897, from 165 towns, having an aggregate population of 849,535, show a total of 1,109 deaths, including diphtheria, 29; enteric fever, 6; measles 1; scarlet fever, 11; phthisis pulmonalis, 100, and whooping cough, 7.

*Hartford*.—Month of May, 1897. Estimated population, 72,000. Total deaths, 112, including diphtheria, 2; phthisis pulmonalis, 8, and whooping cough, 1.

*New Haven*.—Month of March, 1897. Estimated population, 110,000. Total deaths, 154, including diphtheria, 6; enteric fever, 1; measles, 1; scarlet fever, 1, and phthisis pulmonalis, 18.

Month of April, 1897. Total deaths, 141, including diphtheria, 4; enteric fever, 1; scarlet fever, 2, and phthisis pulmonalis, 18.

FLORIDA—*Pensacola*.—Month of May, 1897. Estimated population, 15,000. Total deaths, 19, including diphtheria, 1, and phthisis pulmonalis, 1.

IOWA—*Boone*.—Month of May, 1897. Estimated population, 9,000. Total deaths, 8, including phthisis pulmonalis, 1.

*Cedar Rapids*.—Month of May, 1897. Estimated population, 21,600. Total deaths, 16, including enteric fever, 1, and phthisis pulmonalis, 2.

*Clinton*.—Month of May. Estimated population, 25,000. Total deaths, 15, including enteric fever, 1, and consumption, 3.

*Davenport*.—Month of April, 1897. Estimated population, 35,000. Total deaths, 38.

Month of May, 1897. Estimated population, 35,000. Total deaths, 37, including diphtheria, 1; enteric fever, 1, and phthisis pulmonalis, 2.

IOWA—*Des Moines*.—Month of May, 1897. Estimated population, 82,600. Total deaths, 28, including consumption, 2.

*Dubuque*.—Month of May, 1897. Population, 42,574. Total deaths, 24, including enteric fever, 2, and phthisis pulmonalis, 3.

*Eldora*.—Month of May, 1897. Population, 1,900. Total deaths, 2, including phthisis pulmonalis, 1.

*Hopkinton*.—Month of April, 1897. Population, 650. Total deaths, 4, including phthisis pulmonalis, 1.

*Keokuk*.—Month of May, 1897. Estimated population, 19,305. Total deaths, 14, including phthisis pulmonalis, 2.

*Ottumwa*.—Month of May, 1897. Estimated population, 18,000. Total deaths, 13.

KENTUCKY—*Louisville*.—Month of May, 1897. Estimated population, 215,572. Total deaths, 213, including diphtheria, 3, and phthisis pulmonalis, 39.

LOUISIANA—*Shreveport*.—Month of April, 1897. Estimated population, 15,000. Total deaths, 13, including phthisis pulmonalis, 3.

MARYLAND—*Baltimore*.—Month of May, 1897. Population, 506,398—including white, 431,054; colored, 75,344. Total deaths, 686—white, 505; colored, 181, including diphtheria, 15; enteric fever, 3; measles, 3; phthisis pulmonalis, 64, and scarlet fever, 7.

MASSACHUSETTS—*Brockton*.—Month of May, 1897. Estimated population, 35,853. Total deaths, 37, including scarlet fever, 2.

*Fitchburg*.—Month of May, 1897. Estimated population, 28,392. Total deaths, 32.

MICHIGAN.—Reports to the State board of health, Lansing, from 66 observers, for the week ended May 29, 1897, showed that inflammation of kidney increased and pneumonia decreased in area of prevalence. Phthisis pulmonalis was reported present at 180 places, measles at 93, diphtheria at 21, enteric fever at 20, scarlet fever at 19, and whooping cough at 10.

Reports to the State board of health, Lansing, from 67 observers, for the week ended June 5, indicate that diarrhea, pneumonia, tonsilitis, and influenza decreased in area of prevalence. Phthisis pulmonalis was reported present at 181 places, measles at 84, diphtheria at 27, scarlet fever at 24, enteric fever at 14, and whooping cough at 8.

*Grand Rapids*.—Month of May, 1897. Estimated population, 90,000. Total deaths, 80, including enteric fever, 1, and phthisis pulmonalis, 15.

MINNESOTA—*Duluth*.—Month of May, 1897. Population, 60,000. Total deaths, 37, including diphtheria, 1, and phthisis pulmonalis, 3.

*Minneapolis*.—Month of May, 1897. Population, 192,833. Total deaths, 142, including enteric fever, 15; phthisis pulmonalis, 29, and whooping cough, 2.

*St. Paul*.—Month of May, 1897. Estimated population, 215,582. Total deaths, 91, including enteric fever, 1; diphtheria, 1, and phthisis pulmonalis, 11.

*Winona*.—Month of May, 1897. Population, 22,000. Total deaths, 22, including phthisis pulmonalis, 2.

MISSOURI—*St. Louis*.—Month of May, 1897. Estimated population, 600,000; white, 565,000; colored, 35,000. Total deaths, 746, including diphtheria, 15; enteric fever, 7; phthisis pulmonalis, 85, and whooping cough, 8.

NEBRASKA—*Omaha*.—Month of March, 1897. Population, 140,452. Total deaths, 79, including diphtheria, 2; enteric fever, 2; measles, 8, and phthisis pulmonalis, 8.

Month of April, 1897. Total deaths, 86, including scarlet fever, 3, and phthisis pulmonalis, 6.

NEW HAMPSHIRE—*Concord*.—Month of May, 1897. Estimated population, 19,000. Total deaths, 27.

*Manchester*.—Month of May, 1897. Estimated population, 60,000. Total deaths, 83, including phthisis pulmonalis 13, and whooping cough, 1.

NEW JERSEY—*Paterson*.—Month of May, 1897. Estimated population, 106,652. Total deaths, 112, including diphtheria, 7; phthisis pulmonalis, 14, and whooping cough, 1.

NEW YORK—*Buffalo*.—Month of May, 1897. Estimated population, 350,000. Total deaths, 340, including diphtheria, 7; enteric fever, 5; measles, 8; scarlet fever, 4; phthisis pulmonalis, 38, and whooping cough, 2.

*Yonkers*.—Month of May, 1897. Estimated population, 40,000. Total deaths, 59, including diphtheria, 6; scarlet fever, 2, and phthisis pulmonalis, 3.

NORTH CAROLINA.—Reports to the State board of health for the month of April, 1897, from 24 towns, having an aggregate population of 128,485—white, 73,322; colored, 55,163—give the total number of deaths at 146—white, 60; colored, 86, including enteric fever, 3; measles, 3; phthisis pulmonalis, 22, and whooping cough, 7.

OHIO—*Dayton*.—Month of May, 1897. Population, 85,000. Total deaths, 93, including diphtheria, 3, and phthisis pulmonalis, 15.

*Toledo*.—Month of May, 1897. Estimated population, 137,780. Total deaths, 15, including enteric fever, 1; measles, 1; phthisis pulmonalis, 8, and whooping cough, 1.

PENNSYLVANIA—*Plymouth*.—Month of May, 1897. Estimated population, 6,065. Total deaths, 14, including enteric fever, 1.

*Williamsport*.—Month of April, 1897. Estimated population, 35,000. Total deaths, 15, including phthisis pulmonalis, 2.

TENNESSEE.—Reports to the State board of health from 23 towns having an aggregate population of 103,668, show a total of 114 deaths, including diphtheria, 1; enteric fever, 8; measles, 2; phthisis pulmonalis, 67, and whooping cough, 1.

*Memphis*.—Month of May, 1897. Estimated population, 56,134—white, 28,573; colored, 27,561. Total deaths, 88—white, 40; colored, 48, including enteric fever, 3; measles, 1, and phthisis pulmonalis, 15.

UTAH—*Salt Lake City*.—Month of May, 1897. Estimated population, 70,000. Total deaths, 38, including measles, 1; phthisis pulmonalis, 3, and whooping cough, 1.

VIRGINIA—*Norfolk*.—Month of May, 1897. Estimated population, 45,000—white, 25,710; colored, 19,290. Total deaths, 44—white, 15; colored, 28, including measles, 1, and phthisis pulmonalis, 8.

WISCONSIN—*Milwaukee*.—Month of May, 1897. Estimated population, 275,000. Total deaths, 290, including diphtheria, 10; enteric fever, 3; measles, 1; phthisis pulmonalis, 30; scarlet fever, 1, and whooping cough, 1.